

ATELIER REFENDAGE SERVICE

www.ars-metal.com

Creil (60) Besançon (25)
 +33 (0)3 44 61 21 60 +33 (0)3 81 48 13 00
 ars.creil@ars-metal.com ars.besancon@ars-metal.com

LEGIERUNGszUSCHLAG



	AISI	EN	ép mini	ép maxi	März-25	April-25	Mai-25	Juni-25	Juli-25	August-25	Sept-25	Okt-25	Nov -25	Dez -25	Jan-26	Feb-26	März-26
Kalt-gewaltzte Bänder	430	1.4016	0,40	3	1,067	1,049	1,017	0,969	0,98	0,975	0,987	0,978	0,987	1,003	1,015	1,017	1,004
	304	1.4301	0,40	3	2,101	2,092	1,984	1,9	1,87	1,834	1,884	1,884	1,915	1,935	1,919	2,118	2,142
	304 L	1.4307	0,40	3	2,101	2,092	1,984	1,9	1,87	1,834	1,884	1,884	1,915	1,935	1,919	2,118	2,142
	321	1.4541	0,40	3	2,272	2,263	2,142	2,055	2,019	1,984	2,033	2,035	2,068	2,089	2,068	2,299	2,331
	316 L	1.4404	0,40	3	3,484	3,453	3,262	3,123	3,126	3,091	3,201	3,272	3,28	3,285	3,179	3,482	3,639
	316 TI	1.4571	0,40	3	3,525	3,493	3,299	3,161	3,162	3,124	3,236	3,307	3,315	3,321	3,213	3,523	3,682
	305	1.4303	0,40	3	2,51	2,504	2,366	2,271	2,227	2,16	2,188	2,193	2,231	2,253	2,226	2,502	2,541
	304 L	1.4306	0,40	3	2,299	2,29	2,168	2,079	2,043	1,986	2,012	2,014	2,048	2,069	2,049	2,28	2,311
	441	1.4509	0,40	3	1,34	1,321	1,29	1,236	1,238	1,233	1,245	1,235	1,244	1,261	1,273	1,277	1,265
Präzision Bänder	430	1.4016	0	< 0,4	1,28	1,259	1,221	1,162	1,176	1,17	1,185	1,173	1,184	1,204	1,218	1,22	1,205
	304	1.4301	0	< 0,4	2,522	2,51	2,382	2,28	2,243	2,201	2,26	2,261	2,297	2,322	2,303	2,541	2,571
	301	1.4310	0	3	2,382	2,37	2,252	2,154	2,122	2,068	2,095	2,095	2,127	2,151	2,137	2,349	2,374
	304 L	1.4307	0	< 0,4	2,522	2,51	2,382	2,28	2,243	2,201	2,26	2,261	2,297	2,322	2,303	2,541	2,571
	321	1.4541	0	< 0,4	2,726	2,715	2,571	2,466	2,422	2,382	2,439	2,441	2,481	2,506	2,481	2,759	2,797
	316 L	1.4404	0	< 0,4	4,181	4,144	3,916	3,748	3,751	3,708	3,841	3,927	3,936	3,943	3,815	4,179	4,367
	316TI	1.4571	0	3	4,23	4,192	3,96	3,793	3,794	3,749	3,883	3,969	3,978	3,985	3,856	4,228	4,418
	305	1.4303	0	< 0,4	3,187	3,18	3,005	2,884	2,828	2,744	2,779	2,785	2,834	2,861	2,827	3,177	3,227
	304 L	1.4306	0	< 0,4	2,759	2,748	2,603	2,495	2,451	2,383	2,414	2,417	2,458	2,483	2,458	2,736	2,773
	441	1.4509	0	< 0,4	1,701	1,677	1,638	1,569	1,572	1,565	1,581	1,569	1,58	1,602	1,617	1,622	1,607
	316 SL	1.4435	0	< 0,4	4,706	4,664	4,403	4,216	4,223	4,139	4,257	4,364	4,37	4,373	4,218	4,637	4,865
Federstahl-draht	302	1.4310	0	100	2,811	2,685	2,384	2,262	2,214	2,199	2,219	2,182	2,213	2,213	2,238	2,493	2,515
	304	1.4301	0	100	2,95	2,824	2,513	2,388	2,335	2,315	2,337	2,299	2,332	2,331	2,352	2,63	2,652
	430	1.4016	0	100	1,518	1,376	1,176	1,085	1,087	1,117	1,127	1,09	1,113	1,121	1,189	1,211	1,22
	316L	1.4404	0	100	4,687	4,531	4,111	3,922	3,914	3,88	3,983	4,033	4,033	3,999	3,9	4,317	4,504
	304L	1.4307	0	100	3,183	3,061	2,732	2,601	2,539	2,511	2,337	2,299	2,332	2,331	2,352	2,63	2,652

